

Receipt

SAW:DHB:avs 11/30/00 3382-55826 MS# 147849.1



**FILE COPY**  
PATENT  
Attorney's Matter No. 3382-55826

**RECEIVED**  
FEB 13 2001  
Technology Center 2100

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application of: Parikh et al.

Application No. 09/670,246

Filed: September 26, 2000

For: AUTOMATIC LAYOUT OF VERTICAL  
FLOW ORIENTED CHARACTERS WITHIN  
A DEFINED AREA

Art Unit: 2176

Examiner: Not assigned

Date: November 30, 2000

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper or fee referred to as being attached or enclosed) is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: COMMISSIONER FOR PATENTS, Office of Initial Patent Examination Customer Service Center, Washington, DC 20231 on 11/30/2000.

Attorney for Applicant(s)

REQUEST FOR CORRECTION OF OFFICIAL FILING RECEIPT

Office of Initial Patent Examination  
Customer Service Center  
COMMISSIONER FOR PATENTS  
Washington, DC 20231

Sir:

The undersigned has received the official Filing Receipt for the above-identified application, copy (with requested correction shown in red ink) attached as Exhibit A.

The following error appears on the Filing Receipt:

**Third inventor is missing: Michel Suignard, Bellevue, WA**

A copy of the Filing Receipt, showing the mistake is attached as Exhibit B.

A copy of the Combined Declaration and Power of Attorney signed by all 3 inventors is attached as Exhibit C.


It is requested that the above identified error be corrected and that a new official Filing Receipt

be issued.

Should any further information be desired, it is requested that the undersigned be telephoned to expedite the supply of such information.

Respectfully submitted,

KLARQUIST SPARKMAN CAMPBELL  
LEIGH & WHINSTON, LLP

By   
Stephen A. Wight  
Registration No. 37,759

One World Trade Center, Suite 1600  
121 S.W. Salmon Street  
Portland, Oregon 97204  
Telephone: (503) 226-7391  
Facsimile: (503) 228-9446

cc: Client